


Modern & Luxurious Lights For Residential & Commercial



PRODUCT CATALOGUE



ABOUT US

Light Connect is a next generation lighting solutions brand committed to transforming spaces with intelligent design and exceptional performance. We specialize in a complete range of modern architectural lighting including MagneticTrack Lights, Surface Track Lights, LED Profiles, LED Strip Lights, Silicon Lamps, Accessories, and Modular Tracks.

From commercial ambience to residential elegance, every Light Connect product is engineered with precision optics, durable materials, and advanced lighting technology. Our mission is to deliver seamless connectivity between light and architecture creating environments that inspire, elevate, & perform.

Our goal is simple to provide high-quality lighting that is easy to install, energy-efficient, and customizable for every space. Whether it's home, office, retail, or hospitality, Light Connect ensures perfect illumination every time.

01

Magnetic Linear Diffused Light

Page no. 1-2

02

Magnetic Linear Grill Light

Page no. 3-4

03

Magnetic Linear Difuser Combo Light

Page no. 5-6

04

Magnetic Folding Grill Light

Page no. 7-8

05

Magnetic Silicon Lamp

Page no. 9-10

06

Magnetic Spot Light

Page no. 11-12

07

Smart Power Drive

Page no. 13-14

08

Recessed Channel Track

Page no. 15-16

09

Smart Remote Control & Accessories

Page no. 17-18

10

Surface Track Light

Page no. 19-22

11

LED Strip Light

Page no. 23-24

12

Profile Light

Page no. 25-26

13

Power Supply

Page no. 27-28





Light Connect

MAGNETIC LINEAR DIFUSED LIGHT

First time in india with 4CCT Technology





Specifications

Model	SH20-300FGD
CCT	4CCCT
Body	Black
Power	12W
Material	Aluminium
LED	Bridgelux Chip
Lumen	410 lm
Voltage	48V 50Hz
Size	300x22x45mm



Specifications

Model	SH20-450FGD
CCT	4CCCT
Body	Black
Power	18W
Material	Aluminium
LED	Bridgelux Chip
Lumen	495 lm
Voltage	48V 50Hz
Size	450x22x45mm



Specifications

Model	SH20-600FGD
CCT	4CCCT
Body	Black
Power	24W
Material	Aluminium
LED	Bridgelux Chip
Lumen	898 lm
Voltage	48V 50Hz
Size	600x22x45mm



Specifications

Model	SH20-900FGD
CCT	4CCCT
Body	Black
Power	36W
Material	Aluminium
LED	Bridgelux Chip
Lumen	1288 lm
Voltage	48V 50Hz
Size	900x22x45mm

MAGNETIC LINEAR GRILL LIGHT

First time in india with 4CCT Technology





Specifications

Model	SH20-6GSD
CCT	4CCT
Body	Black
Power	6W
Material	Aluminium Alloy
LED	Bridgelux Chip
Lumen	338 lm
Voltage	48V 50Hz
Size	110x22x45mm



Specifications

Model	SH20-12GSD
CCT	4CCT
Body	Black
Power	12W
Material	Aluminium Alloy
LED	Bridgelux Chip
Lumen	687 lm
Voltage	48V 50Hz
Size	220x22x45mm



Specifications

Model	SH20-18GSD
CCT	4CCT
Body	Black
Power	18W
Material	Aluminium Alloy
LED	Bridgelux Chip
Lumen	1050 lm
Voltage	48V 50Hz
Size	330x22x45mm

MAGNETIC LINEAR DIFUSER COMBO LIGHT

First time in india with 4CCT Technology





Specifications

Model	SH20-24FGS
CCT	4CCT
Body	Black
Power	24W
Material	Aluminium Alloy
LED	Bridgelux Chip
Lumen	1080 lm
Voltage	48V 50Hz
Size	440x22x45mm

MAGNETIC FOLDING GRILL LIGHT

First time in india with 4CCT Technology





Specifications

Model	SH20-6ZDD
CCT	4CCT
Body	Black
Power	6W
Material	Aluminium Alloy
LED	Bridgelux Chip
Lumen	340 lm
Voltage	48V 50Hz
Size	115x22x105mm



Specifications

Model	SH20-12ZDD
CCT	4CCT
Body	Black
Power	12W
Material	Aluminium Alloy
LED	Bridgelux Chip
Lumen	660 lm
Voltage	48V 50Hz
Size	222x22x105mm



Specifications

Model	SH20-18ZDD
CCT	4CCT
Body	Black
Power	18W
Material	Aluminium Alloy
LED	Bridgelux Chip
Lumen	1190 lm
Voltage	48V 50Hz
Size	330x22x105mm

MAGNETIC SILICON LAMP

First time in india with 4CCT Technology





Specifications

Model	SH20-DX1010
CCT	4CCT
Body	White
Power	10W
Material	Silicon
LED	Bridgelux Chip
Voltage	48V 50Hz
Size	Length 1000mm



Light Connect

MAGNETIC SPOT LIGHT

First time in india with 4CCT Technology





Specifications

Model	SHZ0-QSD
CCT	4CCT
Body	Black
Power	6W
Material	Aluminium Alloy
LED	Bridgelux Chip
Lumen	300 lm
Voltage	48V 50Hz
Size	60x83mm



Light Connect

SMART POWER DRIVE





Specifications

Model	Power Supply
Body	Black
Power	100W
Output	DC48V 2A
Input	180-265V 50/60Hz
Material	Aluminium Alloy



Specifications

Model	Power Supply
Body	Black
Power	200W
Output	DC48V 4A
Input	180-265V 50/60Hz
Material	Aluminium Alloy

RECESSED CHANNEL TRACK






Specifications

Model	Magnetic Track 217
Body	Black
Size	1 mt
Material	Aluminium



Specifications

Model	Magnetic Track 217
Body	Black
Size	2 mt
Material	Aluminium



Specifications

Model	Magnetic Track 217
Body	Black
Size	3 mt
Material	Aluminium

SMART REMOTE CONTROL & ACCESSORIES






Specifications

Model

2.4Ghz REMOTE

Body

White



Specifications

Model

Direct Connector

Body

Black



SURFACE TRACK LIGHT

First time in india with 3CCT Technolgy





Specifications

Model	QY218
CCT	3CCT
Body	Black/White
Power	10W
Material	Aluminium
LED	Bridgelux Chip
Voltage	170-265V 50Hz
Size	50x135mm



Specifications

Model	QY218
CCT	3CCT
Body	Black/White
Power	20W
Material	Aluminium
Led	Bridgelux Chip
Voltage	170-265V 50Hz
Size	68x148mm



Specifications

Model	QY218
CCT	3CCT
Body	Black/White
Power	30W
Material	Aluminium
Led	Bridgelux Chip
Voltage	170-265V 50Hz
Size	75x168mm



Specifications

Model	QY116
CCT	3CCT
Body	Black/White
Power	20W
Material	Aluminium
Led	Bridgelux Chip
Voltage	170-265V 50Hz
Size	70x119mm



Specifications

Model	QY116
CCT	3CCT
Body	Black/White
Power	30W
Material	Aluminium
Led	Bridgelux Chip
Voltage	170-265V 50Hz
Size	89x130mm



Specifications

Model	Singal Track Light holder
Body	Black/White
Size	90mm



Specifications

Model	Surface Track
Body	Black/White
Size	1 mt



Specifications

Model	Surface Track
Body	Black/White
Size	2 mt

LED STRIP LIGHT





Specifications

Model	NF240-2835WW
Power	18W
LED QTY	240 LED
Color	Warm White
Length	5 mt
Voltage	12V



Specifications

Model	NF240-2835NW
Power	18W
LED QTY	240 LED
Color	Natural White
Length	5 mt
Voltage	12V



Light Connect

PROFILE LIGHT





Specifications

Model	WM-181
Corner	16/16
Body	White
Material	Aluminium



Specifications

Model	WM-41
Coller	17/6
Body	White
Material	Aluminium



Specifications

Model	WM-46
Coller	25/10
Body	White
Material	Aluminium




Light Connect

India's first

POWER SUPPLY

with **Glue Technology**





Specifications

Model	60W-12V
Protection	Overheat Protection
Power	5 Amp
Voltage	AC180-265V 50Hz
Heat Sink	High-Efficient



Specifications

Model	120W-12V
Protection	Overheat Protection
Power	10 Amp
Voltage	AC180-265V 50Hz
Heat Sink	High-Efficient



Specifications

Model	300W-12V
Protection	Overheat Protection
Power	25 Amp
Voltage	AC180-265V 50Hz
Heat Sink	High-Efficient



Specifications

Model	400W-12V
Protection	Overheat Protection
Power	33.3 Amp
Voltage	AC180-265V 50Hz
Heat Sink	High-Efficient



✉ **info@lightconnect.in**

lightconnect.in

Customer Care / Whatsapp no. 9811655260

Follow us on :     / [lightconnectofficial](#)

Disclaimer

This catalogue and its contents are protected by the trademarks and intellectual property rights of Light Connect. Unauthorized copying, distribution, or misuse of any content is strictly forbidden. Product details are subject to change without notice as we continue to innovate.

Dealer's Stamp